

10/PRTS

10/532713

JC13 Rec'd PCT/PTO 27 APR 2005

1

PCT/KR03/01891

RO/KR 26. 12. 2003

**A PELLET OF BULBOUS PLANTS, A METHOD OF PELLETIZATION AND
A CULTIVATION METHOD OF PLANTS USING THE SAME**

5

TECHNICAL FIELD

The present invention relates to a pellet of bulbous plants, a method for preparing pellets of bulbous plants and a cultivation method for plants that uses the same the bulbous plants pellets. In particularly, it relates to a pelletization method for bulbous plants wherein a lid and an entity are formed using peatmoss, the bulbous
10 plants are inserted in a dry entity and the lid is covered with them, the pellet of bulbous plants prepared by said method and a cultivation method for plants that the bulbous plants pellets are sowed in a soil surface.

BACKGROUND ART

15

The art of cultivating and sowing plant seeds has been significantly improved through in-depth research. However, there are still problems that need to be solved. Plant cultivation, which is comprised of several steps, such as raising the seedling, sowing, using fertilizers and controlling noxious insects, requires significant amounts of time, labor and money. In addition, it requires scientific and
20 experiential knowledge of the treatment of plant seeds.

20

Peatmoss, which is often used in the field of agriculture, is an organic material composed of piles of rotten reeds from swamps or marshes in cold regions. Peatmoss has 15 times more moisture absorption than its dry condition and it has excellent aeration. In addition, it is light and has no side effects such as chemical
25 reactions with fertilizers, so it is generally used in the production and sowing of seedlings.

Plant seed pellets are prepared by coating the surface of the plant seed with a

mixture of nutrients to promote the germination and growth of the plant seed. The object of pelletization is to enlarge the micro-seed for the mechanization and protect from harmful insects or bacteria to promote the germination of the seedling. At present, plant seed pellets are generally prepared by coating the surface of the plant seed with several treated materials by glues. Because the materials used in the pelletization do not function as soil, it is still necessary to cover the seed with earth again after sowing. Thus, plant seed pellets prepared through this method are uneconomical and ineffective. On the other hand, if peatmoss is used as the material for pelletization, it reduces the time and effort necessary to cover the pellet with soil again because peatmoss can function as soil. However, when water is added in the pelletization process, it is absorbed into the seed and expands the germ and endosperm until the seed coat explodes and germinates. Drying during the process of storage after the occurrence of this physiological activation presents a physiological impediment that affects the seed's germination after sowing, and as a result, the germination rate drops. Therefore, the removal of water is an important technical consideration in the pelletization process using peatmoss.

To solve the aforementioned problem, a method has been used wherein the surface of the plant seed is coated with materials composed of mud, phosphate powder, lime powder and water-soluble Arabic gum, which are glued in a mixture and dried. However, this method cannot be used for all kinds of seeds, especially bulbous plants, because the materials do not react well to fertilizers, plant growth regulators, bactericides and insecticides.

The present invention relates to a pelletization method for bulbous plants and the bulbous plants pellets, which were not tried before. In order to solve the problem of removing water from the pellet, the present invention prepared a bulbous plants pellet by forming a mixture of peatmoss, fertilizer, plant growth regulator and others by dividing it into a lid and an entity to insert bulbous plants in that, inserting the

bulbous plants into the entity after drying the formed mixture, covering them with the dried lid and compressing. Accordingly, the objective of the present invention is to provide the pelletization method for bulbous plants. Another objective of the present invention is to provide the bulbous plants pellets obtained by said pelletization method. A further objective of the present invention is to provide the cultivation method for plant using said bulbous plants pellets.

DESCRIPTION OF THE INVENTION

The present invention is achieved through the following method: preparing a bulbous plants pellets by adding various materials; sowing the bulbous plants pellets using various methods; and evaluating the effectiveness of the bulbous plants pellet by investigation the leaf emergence rate of bulbous plants, the number of leaf emergence every day after planting and the condition of growth.

The pelletization method is comprised of the following steps:

a) mixing one or more materials selected from a group consisting of fertilizer, plant growth regulator, bactericide and insecticide with peatmoss using water-soluble glue;

b) compressing and forming a pellet by dividing it into a lid and an entity to insert bulbous plants in that from the mixture prepared in the Step a);

c) drying the pellet formed Step b); and

d) inserting the bulbous plants in the entity, covering them with said dried lid and compressing them to produce the resulting pellet with an inserted bulbous plants.

The steps in the pelletization method proposed in this present invention are described in detail below.

25

STEP 1

One of more materials are selected from a group consisting of a fertilizer,

plant growth regulator, bactericide and insecticide, then mixed with peatmoss as demands, and add water-soluble glue in the mixture. The fertilizer is comprised of N, P and K ingredients. The plant growth regulator is comprised of plant growth hormone, typically GA and NAA. The water-soluble glue should preferably be vegetative cement or acryl cement. The peatmoss absorbs the water from the mixture and can be pressed under wet conditions.

STEP 2

The mixture prepared in the Step 1 is compressed to form a pellet by dividing it into a lid and an entity to insert bulbous plants in that. The size and shape of the pellet depends on those of bulbous plants to be inserted later. The wet peatmoss and water-soluble glue in the Step 1 make said mixture to be compressed and formed. Figure 6 shows the process of pelletization as presented in the present invention.

15

STEP 3

The formed and compressed pellet obtained from Step 2 is dried at 25~80 °C. At this time, the water content of the mixture should preferably be 15~25% by weight. The preferred drying method is the hot wind drying method for mass production or the natural drying method. Since the bulbous plants will be inserted after drying, this prevents the leaf emergence of bulbous plants from the water absorbed by the peatmoss. Therefore, the problem that exists in previous methods, which was earlier described, does not occur.

STEP 4

Bulbous plants are inserted in the entity dried in the Step 3, they are covered with the lid dried in the Step 3 and compressed and sealed.

The pelletization method for bulbous plants presented in the present invention does not undergo chemical reactions during the mixing of the various materials, such as fertilizer, plant growth regulator, bactericide and insecticide, with peatmoss. The material used is free and the process is convenient. In addition, the bulbous plants pellet does not exhibit physiological reaction to water. Furthermore, the bulbous plants pellet, which is sown and absorbs water, has 3 or 4 times more volume compared to its dried condition and can be used in large-scale cultivation. Because peatmoss functions as a soil, the pellet can be sown in a soil surface without being covered up again with soil.

10

[TABLE 1]

Comparison of previous pelletization method with pelletization method of the present invention

	Previous pelletization methods	Pelletization method of the present invention
Target	Mainly micro-plant seeds	All kinds of plant seeds and bulbous plants
Purpose	Enlargement and uniformity for mechanization of sowing	Possibility of enlargement, uniformity, simplicity of cultivation and aerial sowing.
Material	Mud, phosphate powder, lime powder, water-soluble Arabic gum	Peatmoss
Production method and characteristic	1) The seed is prepared as a pellet by coating its surface with several materials using glue. 2) Expensive manufacturing equipment is needed.	1) Compression and formation a pellet by dividing it into a lid and an entity using a mixture of chemicals and peatmoss, drying them, inserting the bulbous plants in it, covering them with the dried lid, compressing and sealing them. 2) Preparation is very easy,

		simple manufacturing equipment is needed and it is possible to make it by hand.
Water drying	In the process of coating the seed with various materials, wind or heat is used for drying, and the physiological activation happens because of water absorption into the seed during the preparation process.	The problem with physiological activation does not occur because of the compression and formation of the lid and the entity using peatmoss and the insertion of the bulbous plants after drying.
Addition	It is possible to mix materials comprising of fertilizer, plant growth regulator, bactericide, and insecticide, but chemical reactions may occur to create an inhibition effect.	Ingredients necessary for the growth of the bulbous plants, such as fertilizer, plant growth regulator, bactericide, and insecticide, are easily mixed and there are no inhibition effects.
Physical and chemical characteristic	1) Aeration and moisture holding are not good. 2) The selection of material requires caution because there is a possibility of an incidental chemical reaction among the coating materials.	1) Aeration and moisture holding is excellent. 2) Chemical inhibition reaction does not happen completely.
Sowing method	It is necessary to sow seed in the soil because the pelletization materials do not function as a soil.	It is possible to sow seed in the soil surface as well as in the soil because the peatmoss functions as a soil.
Hereafter possibility	Correction of defects is required according to the materials and the applied plant seed.	It is possible to apply widely to all kinds of plant seed and bulbous plants. It can also be practiced as soon as possible.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1a shows the leaf emergence rate according to various pelletization

methods and planting methods (experimental examples 1~8) in *Lilium tigrinum* main bud.

Figure 2 shows the germination according to various pelletization methods and planting methods (experimental examples 1~8) in potato.

5 Figure 3a shows the change in germination population after planting according to planting methods in *Lilium tigrinum* main bud, which was not pelletized;

Figure 3b shows the change in germination population after planting according to planting methods in *Lilium tigrinum* main bud, which was treated with
10 only fertilizer.

Figure 3c shows the change in germination population after planting according to planting methods in *Lilium tigrinum* main bud, which was treated with fertilizer and GA.

Figure 3d shows the change in germination population after planting
15 according to planting methods in *Lilium tigrinum* main bud, which was treated with fertilizer and NAA.

Figure 4a shows the change in leaf emergence population after planting according to planting methods in potato, which was not pelletized.

Figure 4b shows the change in leaf emergence population after planting
20 according to planting methods in potato, which was treated with only fertilizer.

Figure 4c shows the change in leaf emergence population after planting according to planting methods in potato, which was treated with fertilizer and GA.

Figure 4d shows the change in leaf emergence population after planting according to planting methods in potato, which was treated with fertilizer and NAA.

25 Figure 5 is a photograph compared the pelletization process of plant seed with that of bulbous plants.

Figure 6 shows the pelletization process of bulbous plants.

Figure 7 shows the growth states in *Lilium tigrinum* main bud, which was not pelletized and in the pelletized *Lilium tigrinum* main bud in two months after sowing.

Figure 8 shows the growth state in the pelletized *Lilium tigrinum* main bud
5 in the sowing state of the soil surface.

Figure 9 is a photograph of *Lilium tigrinum* main bud, which was pelletized and grown.

Figure 10 shows the growth states in the potato that was not pelletized and in the pelletized potato in 100 days after planting.

10 Figure 11 shows the growth state in the pelletized potato in the sowing state of the soil surface.

Figure 12 shows the new tuber in the pelletized potato.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

15 To compare and analyze the effects of pelletization using peatmoss, fertilizer and plant growth regulator, the pellets of *Lilium tigrinum* main bud and potato were prepared through the pelletization method described above. Then the growth states, comprising of the leaf emergence rate, the number of leaf emergence every day after planting, the plant height, the number of leaf, the leaf length, tuber number and tuber
20 weight, were studied and statistically analyzed.

Experiment of the present invention was carried out from April 2002 to June 2002. The planting was conducted in a rectangle plastic cut-age box using clay sand. Intermediate fertilizer was not applied at all, and only watering was carried out as demanded. The said process was carried out three times repeatedly on one hundred of
25 *Lilium tigrinum* main bud and potato.

Also, the planting of the prepared pellets were conducted in two sowing methods; one is a sowing method wherein it was not necessary to cover with earth

after planting in the soil surface and the other is a sowing method wherein it was necessary to cover with earth.

The shape of the pellet depends on the size and shape of the bulbous plants. However, the pellets in the examples below were made in a spherical shape for the convenience of the experiment. The pelletization treatment and planting method were carried out as follows.

EXAMPLE 1

Lilium tigrinum main bud and potato were not pelletized and planted using the method of planting in a soil surface.

EXAMPLE 2

Pellets, which were prepared by adding fertilizer ingredients consisting of 300mg/L of N, 200mg/L of P and 400mg/L of K to peatmoss, adjusting pH to 5.8, adding a water-soluble glue, compressing and forming a lid and an entity and inserting *Lilium tigrinum* main bud and potato in the entity, were planted using the method of planting in the soil surface.

EXAMPLE 3

Pellets, which were prepared by adding Fertilizer ingredients consisting of 300mg/L of N, 200mg/L of P and 400mg/L of K and 300ppm of GA to peatmoss, adjusting pH to 5.8, adding a water-soluble glue, compressing and forming a lid and an entity and inserting *Lilium tigrinum* main bud and potato in the entity, were planted using the method of planting in the soil surface.

EXAMPLE 4

Pellets, which were prepared by adding Fertilizer ingredients consisting of

300mg/L of N, 200mg/L of P and 400mg/L of K and 300ppm of NAA to peatmoss, adjusting pH to 5.8, adding a water-soluble glue, compressing and forming a lid and an entity and inserting *Lilium tigrinum* main bud and potato in the entity, were planted using the method of planting in the soil surface.

5

EXAMPLE 5

Lilium tigrinum main bud and potato were not pelletized and covered with earth after planting (sown in the soil).

10 EXAMPLE 6

Pellets, which were prepared by adding fertilizer ingredients consisting of 300mg/L of N, 200mg/L of P and 400mg/L of K to peatmoss, adjusting pH to 5.8, adding a water-soluble glue, compressing and forming a lid and an entity, inserting *Lilium tigrinum* main bud and potato in the entity, were covered with earth after
15 planting (sown in the soil).

EXAMPLE 7

Pellets, which were prepared by adding fertilizer ingredients consisting of 300mg/L of N, 200mg/L of P and 400mg/L of K and 300ppm of GA to peatmoss,
20 adjusting pH to 5.8, adding a water-soluble glue, compressing and forming a lid and an entity, inserting *Lilium tigrinum* main bud and potato in the entity, were covered with earth after planting (sown in the soil).

EXAMPLE 8

25 Pellets, which were prepared by adding fertilizer ingredients consisting of 300mg/L of N, 200mg/L of P and 400mg/L of K and 300ppm of NAA to peatmoss, adjusting pH to 5.8, adding a water-soluble glue, compressing and forming a lid and

an entity, inserting *Lilium tigrinum* main bud and potato in the entity, were covered with earth after planting (sown in the soil).

[TABLE 2]

Preparation of pellets according to examples 1~8

Example	Fertilizer (mg/L)	Plant growth regulator	Peatmoss	pH	Planting method
1	No	No	No	5.8	Planting seed in the soil surface
2	N; 300	No ¹⁾	Compressing and forming a lid and an entity	5.8	Planting seed in the soil surface
	P; 200				
	K; 400				
3	N; 300	GA ²⁾ 300ppm	Compressing and forming a lid and an entity	5.8	Planting seed in the soil surface
	P; 200				
	K; 400				
4	N; 300	NAA ³⁾ 300ppm	Compressing and forming a lid and an entity	5.8	Planting seed in the soil surface
	P; 200				
	K; 400				
5	No	No	No	5.8	Covering with earth after planting
6	N; 300	No	Compressing and forming a lid and an entity	5.8	Covering with earth after planting
	P; 200				
	K; 400				
7	N; 300	GA 300ppm	Compressing and forming a lid and an entity	5.8	Covering with earth after planting
	P; 200				
	K; 400				

8	N; 300	NAA 300ppm	Compressing and forming a lid and an entity	5.8	Covering with earth after planting
	P; 200				
	K; 400				
[Footnote]					
1) No ; no pelletization					
2) GA ; Giberellin					
3) NAA ; Naphthalene acetic acid					

[TABLE 3]

Growth differences in the pellets of *Lilium tigrinum* main bud treated according to the methods in examples 1~8

Example	No. of leaves	Leaf length (cm)	Leaf width (cm)	Plant height (cm)	Root length (cm)
1	0.58 c	6.04 c	0.42 c	4.36 c	0.48 c
2	1.09 a	14.09 a	1.04 a	8.05 a	1.11 a
3	0.81 b	10.71 b	0.77 b	6.58 b	0.82 b
4	0.53 cd	5.72 c	0.42 c	2.81 d	0.32 d
5	0.45de	5.72 c	0.43 c	3.11 d	0.48 c
6	0.38 e	6.17 c	0.42 c	2.88 d	0.51 c
7	0.77 b	1.16 d	0.06 d	0.48 e	0.08 e
8	0.00 f	0.00 d	0.00 d	0.00 e	0.00 f
[Footnote] ¹⁾ Mean separation within columns by Duncan's multiple range test at p=0.05.					

5

[TABLE 4]

Growth differences in the pellets of potato treated according to the methods in examples 1~8

Example	No. of leaves	No. of stems	Plant height (cm)	Tuber number	Tuber Weight (g)	Total Weight (g)
---------	------------------	-----------------	-------------------------	-----------------	------------------------	------------------------

1	12.31 e	1.73 e	13.23 e	3.06 d	21.32 f	57.63 f
2	24.50 c	2.65 c	42.57 c	4.80 bc	109.78 c	203.28 bc
3	35.33 ab	3.72 ab	56.65 b	6.26 a	141.51 a	253.71 a
4	16.82 d	2.01 d	15.7 e	3.81 c	45.33 e	153.65 e
5	25.07 c	2.71 c	22.06 d	4.11 c	98.37 c	199.07 bc
6	33.50 b	3.51 b	45.31 c	5.41 b	120.17 b	212.81 b
7	38.27 a	4.05 a	62.07 a	7.02 a	156.22 a	287.54 a
8	17.43 d	2.13 d	20.60 d	3.90 c	90.66 d	181.35 d
[Footnote]						
1) Mean separation within columns by Duncan's multiple range test at p=0.05.						

The effects of *Lilium tigrinum* main bud and potato pellets prepared according to the present invention are as follows:

The pelletization treatment of *Lilium tigrinum* main bud and potato resulted in far better growth than those in the control group in terms of number of leaves, leaf length, leaf width, plant height, root length, tuber number, tuber weight and total weight (Table 3, 4). In addition, the pelletized *Lilium tigrinum* main bud (Figure 1, Figure 7) and the potato treated with pellet and GA (Figure 2, Figure 10) showed excellent leaf emergence rate. The pelletization treatment improved the growth state of the plant seeds after germination, but the growth state of those in the control group were poor. It is believed that the reason for this is because the peatmoss, which is light and has an excellent aeration, facilitates the supply of oxygen necessary for germination. In addition, the water potential of peatmoss is more than 60% of its total volume, which sufficiently wets the bulbous plants upon watering and promote the supply of nutrients through the absorption of the mixed fertilizer.

In the growth state of the bulbous plants pellets according to sowing method, in the case of *Lilium tigrinum* main bud, the pellets sown in the soil surface were more excellent in all respects, only leaf length of the pellet sown in the soil was a little excellent by 6.17cm (Table 3). In the case of *Lilium tigrinum* main bud pellets,

which were sown in the soil surface, showed more than two times in the leaf emergence rate (Figure 1), an excellent the number of the leaf emergence after sowing (Figure 3a, 3b, 3c, 3d, Figure 8) and 4 days fast leaf emergence (Figure 3c). In the case of potato, the growth differences according to the sowing method was almost similar, it is believed that the reason for this is because of nutrients stored within the potato. And the results indicate that it is possible to sow the potato seeds in the soil surface in practical cultivation (Table 4). The pellets of potato, which were sown in the soil surface, showed an excellence in germination rate (Figure 2, Figure 11), germination population after sowing and germinating day (Figure 4a, 4b, 4c, 4d). These characteristics indicated that the pellets act as a sufficient substitute for soil and the oxygen necessary for germination and growth is supplied sufficiently by distinguished aeration of the peatmoss (Figure 9, Figure 12).

Comparing the growth of the bulbous plants pellets according to plant growth regulator treatment, the pellets of *Lilium tigrinum* main bud showed that the plant treated with GA was superior more than two times in all growth state than the plant treated with NAA (Table 3, Table 7). Moreover, leaf emergence rate of the plant treated with GA was higher and germinating day after sowing was faster (Figure 1, 3c, 3d). In the case of the pellets of potato, the plant treated with GA showed two or three times excellent growth state in all respects (Table 4, Table 8). Also, leaf emergence rate was 40% higher and germinating day after sowing was 10 days faster, therefore treatment of GA showed more excellent effect than treatment of NAA (Figure 2, 4c, 4d).

As a synthesis of the results presented above, the pelletization of bulbous plants according to the present invention improved the growth of seeds in terms of leaf emergence rate and germinating day after planting in the sowing in the soil surface and those treated with GA.

INDUSTRIAL APPLICABILITY

As shown by the study, the pelletization method for bulbous plants according to the present invention, which consisted of mixing materials consisting of fertilizer, plant growth regulator with peatmoss, compressing and forming said mixture, inserting bulbous plants in it after drying and compressing, exhibited no problem with chemical reaction during the process. And the pellets of bulbous plants prepared through to this method prevents the physiological reaction of bulbous plants resulting from removal of water within the pellet, and therefore leaf emergence rate and the growth of the bulbous plants are remarkably excellent. In addition, the present invention makes bulbous plants to show a normal leaf emergence rate without requiring the covering of earth again after the seed has been sown in the soil surface. Accordingly, the present invention is an important development for industries involved in agriculture and gardening.

15

20

25

WHAT IS CLAIMED IS:

1. A pelletization method for bulbous plants comprising the steps of:

a) mixing one of more materials selected from a group consisting of fertilizer, plant growth regulator, bactericide and insecticide with peatmoss using water-soluble

5 glue;

b) compressing and forming a pellet by dividing it into a lid and an entity to insert bulbous plants in that from the mixture prepared in Step a);

c) drying the pellet formed Step b); and

d) inserting the bulbous plants in the dried entity, covering them with the
10 dried lid and compressing them to produce the resulting pellet with an inserted bulbous plants.

2. The pelletization method in Claim 1 in which the bulbous plants are one selected from a group consisting of *Lilium tigrinum* main bud and potato.

15

3. A pellet of the bulbous plants prepared according to the method described in Claim 1 containing any of the bulbous plants described in Claim 2

4. A cultivation method for plants that involves the planting and germinating of the
20 pellets of the bulbous plants described in Claim 3.

5. The cultivation method for plants in Claim 4, wherein it is treated in the soil surface without being covered with earth again after sowing.

25

ABSTRACT

The present invention relates to a pelletization method for bulbous plants that involves the mixing of fertilizer, plant growth regulator, bactericide and insecticide with peatmoss, compressing and forming a lid and an entity from the mixture, 5 inserting the bulbous plants in the entity after drying the compressed mixture, covering them with the dried lid and compressing them to obtain the resulting pellet with the bulbous plants. The present invention makes it possible to create a pellet of bulbous plants that has excellent growth after emergence of leaf by preventing the physiological reaction of the bulb upon removal of water within the pellet. The pellet 10 prepared by the pelletization method according to the present invention can also be made into be suited to bulbous plants for planting in size and shape and it is no longer necessary to cover with earth again after planting the bulb in a soil surface.

BIRCH, STEWART, KOLASCH & BIRCH, LLP

P.O. Box 747 - Falls Church, Virginia 22040-0747
Telephone: (703) 205-6800 - Facsimile: (703) 205-9250

PLEASE NOTE
YOU MUST
COMPLETE THE
FOLLOWING

**COMBINED DECLARATION AND POWER OF ATTORNEY
FOR PATENT AND DESIGN APPLICATIONS**

As a below named inventor, I hereby declare that my residence, past office address and citizenship are as stated next to my name, that I verily believe that I am the original, first and sole inventor (if only one inventor is named below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought in the invention entitled:

**A PELLETT OF BULBOUS PLANTS, A METHOD OF PELLETIZATION AND
A CULTIVATION METHOD OF PLANTS USING THE SAME**

Invent Title:

Fill in Appropriate
Information -
For Use Without
Specification
Attached:

the specification of which is attached hereto, if not attached hereto,

the specification was filed in _____ as
United States Application Number _____
and extended on _____ (if applicable) and/or
the specification was filed on _____ as PCT
International Application Number _____ and was
amended on _____ (if applicable)

I hereby state that I have reviewed and understood the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.36.

I do not know and do not believe the same was ever known or used in the United States of America before my or our invention claimed, or patented or described in any printed publication in any country before my or our invention claimed or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application; that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or any legal representative or assignee more than twelve months (six months for designs) prior to this application, and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by me or any legal representative or assignee, except as follows:

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d), of any foreign application(s) for patent or inventor's certificate filed before and hereby also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application in which priority is claimed:

Invent Priority
Information:
(if appropriate)

Prior Foreign Application(s)

Priority Claimed

10-2002-65847 (Number)	Republic of Korea (Country)	October 28, 2002 (Month/Day/Year Filed)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
(Number)	(Country)	(Month/Day/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No

I hereby claim the benefit under Title 35, United States Code, §119(a) of any United States provisional application(s) listed below.

Insert Provisional Application(s) (if any)

(Application Number)	(Filing Date)
(Application Number)	(Filing Date)

All Foreign Applications, if any, for any Patent or Inventor's Certificate Filed More than 12 Months (6 Months for Designs) Prior to the Filing Date of This Application:

Insert Requested Information (if appropriate)

Country	Application Number	Date of Filing (Month/Day/Year)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States and/or PCT application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States and/or PCT application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to the patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

Insert Prior U.S. Application(s) (if any)

(Application Number)	(Filing Date)	(Status - patented, pending, abandoned)
(Application Number)	(Filing Date)	(Status - patented, pending, abandoned)

Page 1 of (Rev. 12/18/07)

I hereby appoint the practitioners at CUSTOMER NO. 2292 as my attorneys or agents to prosecute this application and/or an international application based on this application and to transact all business in the United States Patent and Trademark Office connected therewith and in connection with the resulting patent based on instructions received from the entity who first sent the application papers to the practitioners, unless this inventor(s) or assignee provides said practitioners with a written notice to the contrary.

Send Correspondence to:

BIRCH, STEWART, KOLASCH & BIRCH, LLP or CUSTOMER NO. 2292
P.O. Box 747 • Falls Church, Virginia 22040-0747
Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

PLEASE NOTE: YOU MUST COMPLETE THE FOLLOWING:

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like are made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of First Inventor(s) (Last, first, and middle initials) (if more than one, list all)

Domestic Residence (City, State & Country) (if foreign, list country)

Domestic Mailing Address (if foreign, list country)

Full Name of Second Inventor(s) (Last, first, and middle initials) (if more than one, list all)

Full Name of Third Inventor(s) (Last, first, and middle initials) (if more than one, list all)

GIVEN NAME/FAMILY NAME Seung-Hyun KIM	INVENTOR'S SIGNATURE <i>Seung-hyun Kim</i>	DATE April 21, 2005
Residence (City, State & Country) Wonju-si, Gangwon-do, Republic of Korea		CITIZENSHIP Republic of Korea
MAILING ADDRESS (Complete Street Address including City, State & Country) 1-803, Samsung Apt., Myeongryun 2-dong, Wonju-si, Gangwon-do 220-042 Republic of Korea		
GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP
MAILING ADDRESS (Complete Street Address including City, State & Country)		
GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP
MAILING ADDRESS (Complete Street Address including City, State & Country)		


*DATE OF SIGNATURE

PCT/KR03/01891

RO/KR 26.12.2003

1/10


FIG. 1



[Note]

- ▨ The sowing seed in the soil surface
- The sowing seed in the soil

FIG. 2



[Note]


- ▨ The sowing seed in the soil surface
- The sowing seed in the soil

PCT/KR03/01891

RO/KR 26.12.2003

2/10

FIG. 3a




[Note]

Control

— The sowing seed in the soil surface
- - The sowing seed in the soil

FIG. 3b



[Note]

The pellet treated with fertilizer only


— The sowing seed in the soil surface
- - The sowing seed in the soil

PCT/KR03/01891

RO/KR 26.12.2003

3/10

FIG. 3c




[Note]

The pellet treated with fertilizer and GA

— The sowing seed in the soil surface
— The sowing seed in the soil

FIG. 3d



[Note]


The pellet treated with fertilizer and NAA

— The sowing seed in the soil surface
— The sowing seed in the soil

PCT/KR03/01891
RO/KR 26.12.2003

4/10


FIG. 4a



[Note]
Potato which was not pelletized

----- The sowing seed in the soil surface
—— The sowing seed in the soil

FIG. 4b



[Note]
Potato pellet which was treated with only fertilizer


----- The sowing seed in the soil surface
—— The sowing seed in the soil

PCT/KR03/01891

RO/KR 26.12.2003

5/10

FIG. 4c



[Note]

Potato pellet which was treated with fertilizer and GA






FIG. 4d



[Note]


Potato pellet which was treated with fertilizer and NAA



PCT/KR03/01891
RO/KR 26.12.2003

6/10


FIG. 5



PCT/KR03/01891
RO/KR 26.12.2003

7/10

FIG. 6



[Note]

A: preparing and drying pellet shape by dividing it into a lid and an entity


B: inserting the bulbous plants in the dried entity

C: covering and compressing them with the dried lid

PCT/KR03/01891
RO/KR 26.12.2003

8/10

FIG. 7



[Note]

A: the sowing seed in the soil surface; B: pellet+GA;

C: the sowing seed in the soil; D: pellet+NAA; E: pellet; F: control

FIG. 8



PCT/KR03/01891
RO/KR 26.12.2003

9/10

FIG. 9





FIG. 10



[Note]

A: the sowing seed in the soil surface; B: the sowing seed in the soil

PCT/KR03/01891
RO/KR 26.12.2003

10/10

FIG. 10



FIG. 12

